

TVS
EUROGRIP
OFF HIGHWAY TYRES



TIGERTRAC FL 909
STEEL BELTED FLOTATION RADIAL

Tigertrac FL 909

- Premium steel belted flotation is widely tested in demanding applications at operating pressures as low as 2.5 Bar across leading markets. FL909 has surpassed performance of some premium OHT flotation products available in the market.
- Robust steel belted construction allows superior footprint distribution for low soil compaction with improved stability both on and off the road. These steel belts also ensure puncture protection and reduced downtime.
- Modern hybrid pattern designed with 'block-on-lug' tread offers high traction in field & in moist conditions and a comfortable ride during on road transport operations. This makes FL909 a perfect choice for agri-transport applications around the entire crop season.
- Optimized tread compound specially developed for agri-transport ensures high wear resistance as well as excellent traction **on & off** the road.



SN	Size	Rim	SW	OD	SLR	RC	Tread Depth	LI
			(mm)	(mm)	(mm)	(mm)		
1	425/55R17	13	421	900	405	2727	14.5	137D
2	VF 500/50R17	AG 16	500	945	422	2874	14.5	156D
3	500/50R17	AG 16	500	945	422	2907	14.5	149D
4	500/45R22.5	AG16	503	1022	453	3110	21.0	146D
5	560/45R22.5	AG 16	544	1076	490	3270	20	152D
6	560/60R22.5	AG 16	564	1244	548	3742	20	161D
7								165D
8								170D
9	580/65R22.5	AG16	577	1326	582	4028	22	166D
10	600/50R22.5	AG 20	611	1172	520	3442	20	159D
11								168D
12	600/55R22.5	AG 20	611	1232	574	3820	20	165D
13	650/50R22.5	AG 20	645	1240	558	3738	20	163D
14	710/40R22.5	AG24	725	1140	517	3490	29	165D
15	750/45R22.5*	AG24	754	1247	555	3810	30	168D
16	710/45R22.5	AG 24	726	1212	540	3651	24	165D
17	600/55R26.5	AG 20	625	1345	609	4069	26	165D
18								178D
19	650/55R26.5	AG 20	645	1390	620	4154	26.8	170D
20								178D
21	710/50R26.5	AG 24	730	1400	620	4194	26.8	170D
22	750/45R26.5	AG 24	740	1360	603	4121	26	170D
23	710/50R30.5	AG 24	730	1495	665	4512	26.8	173D
24	750/60R30.5	AG 24	767	1680	751	5048	26.8	181D
25	800/45R30.5	AG28	810	1495	674	4547	26.8	176D

*Coming soon

FEATURES & BENEFITS



Construction

Steel belted radial design with double layer delivers a robust and stable tyre that can handle high load capacities

Pattern Design

Block-on-lug tread pattern design helps equally distribute the tread rubber area on a large contact patch, this tyre offers maximum flotation and soil protection

High Wear Resistance

Tread compound specially developed for mixed application flotation tyres ensure high wear resistance as well as excellent traction on road

Better Roadability

The continuous center area along with the grooved directional lugs contribute to better roadability and improved traction and make the FL 909 perfect for transport applications

Robust Design

The overall robust design of the tyre provides excellent puncture resistance and optimized load distribution. The rounded shoulders resist irregular wear, reduced scrub and improve overall maneuverability

Superior Footprint & Low Soil Compaction

The steel belted radial construction provides superior (wider and rectangular) footprint distribution this causes much lower soil compaction and improved stability on and off the road

ABOUT TVS EUROGRIP

A foremost off-highway tyre manufacturer, part of TVS Mobility Group - one of India's largest auto ancillary conglomerates.

Have been manufacturing and exporting tyres to more than 85+ countries since the early 1990s.

Comprising a portfolio of over 1000+ products and expanding the range for markets worldwide.

Specializing in agriculture, construction, industrial and OTR segments.

World-class products with superior design and engineering.



85+
COUNTRIES



LEADING
TYRE BRAND



WORLD-CLASS
PROCESSES



CUSTOM
DEVELOPMENT

WORLD-CLASS R&D PRACTICES

SUSTAINABILITY & ENVIRONMENT PROTECTION



71% FROM
RENEWABLE ENERGY



ZERO EFFLUENT
DISCHARGE



Follow us on



tvseurogripohTTYRES



export@eurogriptyres.com

SCAN FOR MORE

